



SOCKETS, PLUGS, GAUGES & HOUSINGS

HULK 4x4 are proud to announce the new range of Sockets, Plugs, Gauges & Housings to compliment the already successful range of products offered for the 4x4, Caravan, Truck & Marine market.



4x4



CARAVAN



MARINE

Brand New Technology

OLED technology is now here. It not only looks great but works fantastically well too. Easy to read smooth screen allows you to keep an eye on Volts, Amps & Temperatures. They also look very modern and stand out from the crowd.

OLED Gauges



HU6645A

OLED DC Voltmeter

Allows you to quickly & accurately monitor voltage
Input: 12-24V DC
Range: 6-60V
Sealing: IP66
Terminals: 6.3mm
Operating temp: -40°C ~ +85°C
Hole size: 29mm
Illumination colour: Amber
 Compatible with all flush & surface mount housings



HU6655A

OLED DC Ammeter

With 100amp Shunt
 Allows you to quickly & accurately monitor the amps
Input: 12-24V DC
Range: 0-100amp
Sealing: IP66
Terminals: 6.3mm
Operating temp: -40°C ~ +85°C
Hole Size: 29mm
Illumination colour: Amber
 Compatible with all flush & surface mount housings



HU6690A

OLED Temperature Meter

With temperature sensor
 Allows you to quickly & accurately monitor temperature
Input: 12-24V DC
Range: -40°C ~ +120°C
Sealing: IP66
Terminals: 6.3mm
Operating temp: -40°C ~ +120°C
Hole size: 29mm
Illumination colour: Amber
 Compatible with all flush & surface mount housings



The new HULK 4x4 range of Sockets, Plugs, Gauges & Housing are a fantastic way of customising your 4x4, Caravan, Camper Trailer, Truck or Boat.

These days we are fitting and using more and more electronics and accessories into our vehicles. Examples such as charging phones, tablets, torches, hand-held UHF radios, portable jump packs, running fridges, inverters and 12v compressors. As well as hand-held spot lights, camping lights, GPS's, dash cams, tyre pressure monitors and head up displays.

Quickly and easily monitor outputs like volts, amps and temperatures while on the go.

Simply choose how many sockets and gauges you require and then what mount housing to use in your required application and you are on your way!



Accessory Sockets & Plugs



HU6620B

Accessory Power Style Socket

Input: 12-24V DC

Range: 20amp @ 12V
10amp @ 24V

Hole size: 29mm

Illumination Colour: **Blue**

Protective rubber cap

Socket has lock in points so the plug stays in
Compatible with all flush & surface mount housings

Compatible with HU6623



HU6626

Engel Style Socket

Input: 12-24V DC

Range: 20amp @ 12V
10amp @ 24V

Hole size: 29mm

Protective rubber cap

Socket has thread so the plug stays in

Compatible with all flush & surface mount housings

Compatible with HU6627



HU6628

Merit Din Style Socket

Input: 12-24V DC

Range: 20amp @ 12V
10amp @ 24V

Hole size: 29mm

Protective rubber cap

Compatible with all flush & surface mount housings

Compatible with HU6629



HU6623

Accessory Power Style Plug

Input: 12V DC

Range: 10amp @ 12V

Plug has lock in points so it stays in socket

Includes internal fuse & weather resistant rubber seal

Compatible with HU6620B



HU6627

Engel Style Plug

Input: 12-24V DC

Range: 20amp @ 12V
10amp @ 24V

Plug has thread so it stays in socket

Compatible with HU6626



HU6629

Merit Din Style Plug

Input: 12-24V DC

Range: 20amp @ 12V
10amp @ 24V

Compatible with HU6628

USB Sockets



HU6631B

Dual USB Socket

Input: 12-24V DC

Range: **Port 1:** 2.4amp @ 5V

Port 2: 2.4amp @ 5V

Hole size: 29mm

Illumination Colour: **Blue**

Protective plastic cap

Compatible with all flush & surface mount housings

**HIGH
OUTPUT**



HU6630B

Quick Charge QC3.0 Dual USB Socket

Input: 8-32V DC

Range: **Port 1:** 2.4amp @ 5V

Port 2: QC3.0, 3.6-12V Max 18W

Hole size: 29mm

Illumination Colour: **Blue**

Protective rubber cap

Compatible with all flush & surface mount housings

**HIGH
OUTPUT**



HU6635B

Quick Charge QC3.0 and QC4.0 Dual USB Socket

Input: 8-32V DC

Range: **Port 1:** QC3.0, 3.6-12V Max 18W

Port 2: Type C QC4.0, 5-20V Max 36W

Hole size: 29mm

Illumination Colour: **Blue**

Protective rubber cap

Compatible with all flush & surface mount housings

Gauges



HU6640B

DC Voltmeter

Input: 12-24V DC

Range: 5-30V

Hole Size: 29mm

Illumination colour: **Blue**

Compatible with all flush & surface mount housings



HU6650B

DC Ammeter

Input: 12-24V DC

Range: 0-10amp

Hole Size: 29mm

Illumination colour: **Blue**

Compatible with all flush & surface mount housings



HU6660B

Dual DC Voltmeter

Input: 12-24V DC

Range each display: 5-30V

Hole Size: 29mm

Illumination colour: **Blue**

Compatible with all flush & surface mount housings



HU6670B

Dual DC Voltmeter & Ammeter

Input: 12-24V DC

Range each display: 5-30V

0-10amp

Hole Size: 29mm

Illumination colour: **Blue**

Compatible with all flush & surface mount housings



HU6680B

DC Voltmeter with Coloured Indicator

With 15V overcharge warning

Input: 12V DC

Range: 5-15V

Hole Size: 29mm

Illumination colour: **Blue**

Compatible with all flush & surface mount housings

Flush & Surface Mount Housings



HU6601

Single Flush Mount Housing

Tough thermoplastic body

L: 60mm x W: 42.50mm

Centre To Center: 48mm

Hole Size: 29mm

Two mounting screws included

Compatible with all HULK 4x4 round socket range

Can mount gauge on any flat surface in your vehicle



HU6602

Double Flush Mount Housing

Tough thermoplastic body

L: 105mm x W: 42.50mm

Centre To Center: 68mm

Hole Size: 29mm

Four mounting screws included

Compatible with all HULK 4x4 round socket range

Can mount gauge on any flat surface in your vehicle



HU6603

Triple Flush Mount Housing

Tough thermoplastic body

L: 150mm x W: 42.50mm

Centre To Center: 132mm

Hole Size: 29mm

Four mounting screws included

Compatible with all HULK 4x4 round socket range

Can mount gauge on any flat surface in your vehicle



HU6611

Single Surface Mount Housing

Tough thermoplastic body

L: 55mm x W: 80mm x H: 50mm

Centre To Center: 41mm

Hole Size: 29mm

Two mounting screws included

Compatible with all HULK 4x4 round socket range

Can mount gauge anywhere in your vehicle



HU6612

Double Surface Mount Housing

Tough thermoplastic body

L: 100mm x W: 80mm x H: 50mm

Hole size: 29mm

Two mounting screws included

Compatible with all HULK 4x4 round socket range

Can mount gauge anywhere in your vehicle



HU6613

Triple Surface Mount Housing

Tough thermoplastic body

L: 150mm x W: 80mm x H: 50mm

Hole size: 29mm

Two mounting screws included

Compatible with all HULK 4x4 round socket range

Can mount gauge anywhere in your vehicle

Switch Size USB & Gauges



HU6694B

Switch Size Dual USB

Input: 8-32V DC

Range: **Port 1:** 2.4amp @ 5V

Port 2: 2.4amp @ 5V

Hole size: 37.2mm x 21.2mm

Illumination Colour: **Blue**

Protective rubber cap



HU6696B

Switch Size Dual Voltmeter

Input: 12-24V DC

Range each display: 5-30V DC

Hole size: 37.2mm x 21.2m

Illumination Colour: **Blue**



HU6698B

Switch Size Dual Voltmeter and Ammeter

Input: 12-24V DC

Range each display: 5-30V DC

0-10amp

Hole size: 37.2mm x 21.2m

Illumination Colour: **Blue**